

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1965 A



OFFICE OF NAVAL RESEARCH 82. Contract NO0014-K-0113



Task No. NR 359-258

TECHNICAL REPORT NO. NYU/DC/TR-7-NEW SERIES-2

IONIZATION ENERGIES OF LIQUIDS FROM ENERGY DISTRIBUTION,
OUANTUM YIELD AND SECOND DERIVATIVE CURVES

bу

K. P. Cheung, I. Watanabe, A. Dziedzic, K. von Burg and P. Delahay

Accepted for publication in Journal of Electron Spectroscopy

New York University Department of Chemistry New York, NY



March 1985

TIC FILE COPY

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited


Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

| REPORT DOCUMENTATION PAGE | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|---|--|
| 1. REPORT NUMBER 2. GOVT ACCESSION NO | 3. RECIPIENT'S CATALOG NUMBER |
| NYU/DC, TR-7-NEW SERIES-2 (4)-1/52) | Ć |
| 4 TITLE (and Subtitle) IONIZATION ENERGIES OF LIQUIDS FROM ENERGY | 5. TYPE OF REPORT & PERIOD COVERED |
| DISTRIBUTION, QUANTUM YIELD AND SECOND | Technical Report |
| DERIVATIVE CURVES | 6 PERFORMING ORG. REPORT NUMBER |
| 7. Au THOR(a) | 8. CONTRACT OR GRANT NUMBER(#) |
| K. P. Cheung, I. Watanabe, A. Dziedzic, K. von Burg, P. Delahay | N00014-82-K-0113 |
| 9 PERFORMING ORGANIZATION NAME AND ADDRESS | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS |
| New York University | NR 359-258 |
| New York, NY 10003 | NK 339-236 |
| 11. CONTROLLING OFFICE NAME AND ADDRESS | 12. REPORT DATE |
| Office of Naval Research | March 1985 |
| Arlington, VA 22217 | 13. NUMBER OF PAGES |
| 14 MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) | 26 15. SECURITY CLASS. (of this report) |
| | Unclassified |
| | 15a. DECLASSIFICATION/DOWNGRADING |
| 16. DISTRIBUTION STATEMENT (of this Report) | |
| This document has been approved for public rele its distribution is unlimited. | ase and sale; |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fro | en Report) |
| 18. SUPPLEMENTARY NOTES | |
| Accepted for publication in the Journal of Elec | , , , |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number, | |
| | ctron emission spectroscopy erivative curves. |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) | |
| The energies of the lowest ionization band of pressure are determined from energy distribut yield spectra (collected electrons per incident photon energy), and second derivative curves (Scurves. Threshold energies from EDC's and quant one takes into account a 0.15 eV shift caus rather low resolution and a small difference (Control of the control of | ion curves (EDC), quantum t photon as a function of DC) of retarding potential tum yield spectra agree if ed by the spectrometer's |

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

20.

from the use of approximate extrapolation methods. Threshold energies from EDC's and SDC's agree to within 0.1 eV after correction for the half-width of the high-energy branch of SDC's. Multiple ionization bands are exhibited by the SDC's of some of the liquids, and the observed splittings agree well with the results from gas-phase UPS spectra. A new spectrometer for the measurement of EDC's of liquids is described. The liquids studied are 6-chloro-1-hexanol, 2-ethyl-1-hexanol, ethylene cyanohydrin, ethylene glycol, 1,5-pentanediol, tetraglyme, triethylene glycol, tetraethylene glycol.



IONIZATION ENERGIES OF LIQUIDS FROM ENERGY DISTRIBUTION, QUANTUM YIELD AND SECOND DERIVATIVE CURVES

K. P. CHEUNG*, I. WATANABE**, A. DZIEDZIC, K. VON BURG*** AND P. DELAHAY

Department of Chemistry, New York University, 4 Washington Place, Room 514,

New York, N. Y. 10003 (U.S.A.)

(Received)

ABSTRACT

The energies of the lowest ionization band of eight liquids of low vapor pressure are determined from energy distribution curves (EDC), quantum yield spectra (collected electrons per incident photon as a function of photon energy), and second derivative curves (SDC) of retarding potential curves. Threshold energies from EDC's and quantum yield spectra agree if one takes into account a 0.15 eV shift caused by the spectrometer's rather low resolution and a small difference (0.15 eV or less) resulting from the use of approximate extrapolation methods. Threshold energies from EDC's and SDC's agree to within 0.1 eV after correction for the half-width of the high-energy branch of SDC's. Multiple ionization bands are exhibited by the SDC's of some of the liquids, and the observed splittings agree well with the results from gas-phase UPS spectra. A new spectrometer for the measurement of EDC's of liquids is described. The liquids studied are 6-chloro-1-hexanol, 2-ethyl-1-hexanol, ethylene cyanohydrin, ethylene glycol, 1,5-pentanediol, tetraglyme, triethylene glycol, tetraethylene glycol.

^{*}Present address: AT&T Bell Laboratories, Room 1-D402, Murray Hill, NJ 07974.

**Present address: Department of Chemistry, Faculty of Science, Osaka
University, Toyonaka, Osaka, 560 Japan.

^{***}Present address: Department of Physics, University of Bern, Switzerland.

INTRODUCTION

Three methods are available for the determination of the lowest ionization energy for photoelectron emission by liquids and solutions: (i) the determination of the quantum yield Y for emission as a function of photon energy E, that is, the measurement of the number of emitted electrons per incident photon as a function of E; (ii) the determination of the kinetic energy distribution curve (EDC) of the electrons emitted into the gas phase upon irradiation at a fixed photon energy; (iii) the determination of second derivative curves (SDC), that is, the derivative of EDC's with respect to retarding potential. The quantum yield method is of general scope whereas EDC and SDC determinations are restricted to liquids having such low vapor pressure that electron-molecule inelastic scattering is negligible in the gas phase. The three methods have been applied [1], the quantum yield method to aqueous solutions of inorganic salts, the EDC method to various organic liquids, solutions of organic anion radicals and solvated electrons, and the SDC method to organic liquids. Determination of ionization energies by the three methods for the same liquid has not been reported to our knowledge. This comparison is made in the present paper for eight different liquids. The limitations of quantum yield and EDC methods are also examined, and the usefulness of second derivative curves (SDC) is demonstrated in the comparison with gas-phase UPS spectra.

EXPERIMENTAL

EDC's were measured with a rotating disk target [2-4] and a newly designed optical system (Fig. 1). The exit beam of monochromator A was focused through the lithium fluoride window B on the rim of the rotating disk target C. The monochromator was a McPherson instrument, model 218, with a

1200-groove/mm grating blazed at 150 nm. The source of radiation was a modified McPherson model 630 Hinteregger hydrogen lamp with a hot filament. The window B separated the monochromator and the mirrors D (coated with MgF $_2$ and optimized at 120 nm) from the target chamber filled with the organic vapor from the liquid sample. The target chamber was continuously evacuated with a 4-inch diffusion pump and a cryogenic pump J. The latter was a copper cylinder (9 cm radius, 20 cm long) maintained at -30° C by circulating coolant. The attenuation of the photon flux in the vapor phase was quite negligible because of the prevailing very low vapor pressure (10^{-3} torr). The photon flux was monitored by means of the converter E (platinum wire coated with sodium salicylate) and the photomultiplier F (Hamamatsu model R647). The stray light level was also taken into account.

The target C was an hexagonal disk (0.25 inch thick, 1.5 inch diameter). The focused light spot on the rim of the disk was 2 x 8 mm. Measurements were synchronized with rotation (7.2 Hz) of the hexagonal disk in such a way that the liquid film being irradiated was horizontal when data were taken. The liquid was cooled by a coldfinger in contact with the external bottom of the sample container. The temperature of the liquid was monitored by a thermocouple and was held constant within 0.2 degree. Operation near the freezing point of the liquid was avoided to prevent accidental freezing of the liquid surface as a result of evaporation.

Retarding potential curves at given photon energies were obtained by varying the potential of the hemispherical collector grid G with respect to the liquid. The sample was made conductive by addition of a trace of lithium chloride or iodide (10^{-4} M). The contribution to photoelectron emission from the added salt was totally negligible. Contact with the liquid was made by a silver electrode coated with silver chloride or iodide to achieve a

stable electrode potential in the dilute halide solution in the target container. Escape of energetic electrons through the grid G was prevented by the grid H maintained at -5 V with respect to the collector grid G. Gas-phase photoionization in the target chamber was negligible because of the very low vapor pressure.

EDC's were obtained from retarding potential curves by analog differentiation through superposition of a low (0.2 V peak to peak) AC voltage on the DC retarding potential. The resulting AC component of the collected current was measured while the DC retarding potential was scanned, and plots of the AC signal as a function of the DC potential were taken as the EDC [4]. The entire experiment was automated and controlled by a Digital Equipment Corp., model PDP-11/34 computer. Nine scans were obtained for each EDC with the same sample under identical conditions, and each point on the curves of Fig. 2 represents the average of the nine measurements.

The resolution of the spectrometer expressed as the full width at half-maximum of a band was estimated [4] at ca. 0.5 eV. The resolution of the analyzer was ca. 0.3 eV, which is typical [5] for the retarding potential method. The other contribution arose from the monochromator whose slits were open at 2 mm (to achieve a sufficient photon flux).

Quantum yield spectra were determined with the equipment used in earlier work [6] after numerous improvements [7]. The instrument resolution was better than 0.1 eV at 10 eV and lower photon energies.

IONIZATION ENERGIES

Energy Distribution Curves

The EDC's (Fig. 2) of eight liquids selected for their very low vapor pressure were determined under the conditions of Table 1. The zero of the abscissa scale was taken at the inflection point of the EDC ascending branch

in agreement with standard practice in the study of photoelectron emission by condensed phases (see, e.g., ref. 8 for molecular crystals). The threshold energy E_{t} (Table 1) for the lowest ionization band of the liquid was determined from the relationship, $E_{t} = E - T_{max}$, where E is the photon energy and T_{max} the kinetic energy obtained by extrapolation of the essentially linear segment in the high-energy tail of the EDC (Fig. 2). This procedure follows directly from the Brodsky-Tsarevsky theory of photoelectron emission by liquids [9,10]. The extrapolation strictly holds for measurements of the kinetic energy corresponding to the velocity component of electrons in the gas phase which is normal to the emitting liquid surface. Brodsky has argued [9,10] that experimental EDC's of liquids obtained by the retarding potential method essentially satisfy the foregoing conditions.

Comparison of the E_t -values from EDC's in Table 1 is possible only for ethylene glycol on the basis of the EDC's in [11,12] obtained at 21.2 eV. Application of the linear extrapolation of the EDC tail to Fig. 7 in [11] yielded E_t = 8.3 eV in excellent agreement with the value E_t = 8.36 eV in Table I. Conversely, Fig. 2 in [12] yielded the higher value of E_t = 9.0 eV. The difference between the energies in [11] and [12] was ascribed in [13] to an inadequate determination of the zero of kinetic energy in [12]. The abscissa of 21.2 eV in Fig. 2 of [12] corresponds to the peak of the EDC whereas one would expect the zero of kinetic energy to be at the midpoint of the ascending branch of the EDC. This is indeed the case for Fig. 7 in [11] and in later work (Fig. 1 in [14]) from the laboratory in which the work of [12] was done. The corresponding shift in Fig. 2 of [12] is ca. 0.8 eV, and the corrected value of E_t is then ca. 9.0 – 0.8 = 8.2 eV in rather good agreement with the values of 8.3 eV obtained from [11] and 8.36 eV in Table I.

Quantum Yield Spectra

Quantum yield curves, Y against E (Fig. 3), can be approximated [5,9,10] by the functional dependence $(E-E_{t})^{n}$ on photon energy, where $\mathbf{E_t}$ is the threshold energy and the exponent n is taken to be 3, 5/2 or 2 depending on the range of E above E_{t} . The value n=3 holds very near the threshold energy E_{+} whereas n=5/2 and n=2 apply successively at higher photon energies. Such a functional dependence of the yield Y on photon energy is not rigorous. Moreover, the threshold energy E_{+} varies with the photon energy E at which Y is measured because of the dielectric dispersion of the liquid [7,15]. Variations of $y^{1/n}$ with E therefore are modulated by the dispersion effect. Correction of E_{+} for dispersion is possible [15] from the experimental dependence of the real and imaginary parts of the dielectric constant of the liquid on photon energy, but such data are not available for the liquids studied here. If the fitting range is sufficiently large, the distortion of $Y^{1/n}$ vs. E plots caused by dispersion can be taken to average out, and the emission threshold can be found by a least-square treatment. This was done here at photon energies sufficiently remote from $\mathsf{E}_{\!\scriptscriptstyleflah}$ for the value n = 2 to hold (Fig. 4). The choice of the exponent n is not critical, and plots of $Y^{2/5}$ against E yielded threshold energies which were only 0.16 eV lower on the average than the values of \mathbf{E}_{t} deduced from the plots of Fig. 4.

Comparison of Threshold Energies from EDC's and Yield Spectra

Threshold energies from EDC's and yield spectra are comparable (Table 1), but the EDC values of $E_{\bf t}$ are on the average higher by 0.15 eV than the $E_{\bf t}$'s from yield spectra. This systematic shift appears to be an artifact of instrumental origin. The resolution of the EDC spectrometer is definitely lower than that of the instrument for the determination of quantum yield

spectra (see Experimental). Hence, the descending tail of EDC's is distorted and poorer in high-energy electrons than it would be with higher instrumental resolution. The segment of the EDC therefore extrapolates to an energy $T_{\rm max}$ which is too low, and the threshold energy $E_t = E - T_{max}$ (E, photon energy) is too high. Moreover, differences between the two sets of threshold energies in Table 1 are not surprising since the extrapolation methods by which the E₊'s were obtained are approximate on several counts: (i) The distribution of configuration in the liquid is not considered in the theory of emission in refs. 9 and 10. The EDC's therefore do not fall off until the maximum kinetic energy T_{max} is reached, as predicted by theory, but exhibit a drawn-out tail (Fig. 2). Selection of the segment of EDC tail taken to be linear is not totally unambiguous (e.g., for the EDC of ethylene cyanohydrin in Fig. 2). (ii) Threshold energies from yield spectra depend somewhat on the range in which $Y^{1/2}$ is presumed to vary linearly with E. (iii) These extrapolation methods apply to liquids exhibiting a single ionization band widely separated from higher bands. This condition is not fully satisfied for some of the liquids studied here, as will be shown in the next section, and extrapolation of the EDC and $Y^{1/2}$ plots to $E_{\scriptscriptstyle +}$ is affected accordingly.

SECOND DERIVATIVE CURVES AND CORRELATION WITH GAS-PHASE UPS SPECTRA

Second derivative curves [16] (SDC) of retarding potential curves were determined for the liquids of Table 1. The SDC's (Fig. 5) were obtained by numerical differentiation of EDC's using 5-point Savitzky-Golay filters [17,18]. SDC's exhibit a maximum at the kinetic energy $T_{max}(SDC)$ such that the energy, $E_{SDC} = E - T_{max}(SDC)$, is independent of the photon energy $E_{SDC} = E - T_{max}(SDC)$.

According to ref. 16, the energy $\rm E_{SDC}$ is higher than the ionization energy by 0.52 $\rm w_{1/2}(SDC)$, where $\rm w_{1/2}(SDC)$ is the half-width of the

high-energy descending branch of the SDC. The method of determining $w_{1/2}$ (SDC) is illustrated for curve 6 in Fig. 5. The difference $E_{+}(EDC) - E_{SDC}$ therefore should be proportional to $w_{1/2}(SDC)$ if one identiff s the threshold energy $\mathrm{E}_{+}(\mathrm{EDC})$ obtained from EDC's with the ionization energy. This relationship is verified (Fig. 6) quite well for the liquids of Table 1 since a least-square fit of the eight points of Fig. 6 yields a slope of 1.010±0.106 and intercept of 0.067±0.045. These results can be approximated by the relationship

model used in [16].

(1)

SDC's of liquids having well-separated ionization bands exhibit successive bands not unlike the corresponding gas-phase UPS spectra but without the detailed structure observed in the latter. This is not the case for EDC's which generally exhibit (Fig. 2) a single descending branch (except sometimes for EDC's obtained at 21.2 eV [11]). SDC's therefore complement the results obtained from EDC's and quantum yield spectra and they allow comparison with gas-phase UPS spectra.

Multiple bands were evident in the SDC's (Fig. 5) for most of the liquids of Table 1. The SDC of 6-chloro-1-hexanol may be compared with the gas-phase UPS spectrum of chloroethanol [19], and the separation of 0.44 eV between the two SDC maxima is comparable to the difference, 11.45 - 10.90 =0.55 eV, between the first two ionization energies of chloroethanol. The SDC of 2-ethyl-1-hexanol is comparable to the gas-phase UPS spectrum of pentanol

[20] inasmuch as the first peak is followed by a very broad band consisting of overlapping bands typical of alcohols. The SDC of ethylene glycol exhibits two maxima separated by 0.63 eV whereas the first two gas-phase ionization energies differ by 0.67 eV [12,21]. The SDC of tetraglyme may be compared with the gas-phase UPS spectrum of ethylene glycol dimethyl ether because of the similarity in structure, namely $H(CH_2OCH_2)_5H$ (tetraglyme) and $H(CH_2OCH_2)_2H$. The five oxygen atoms in the tetraglyme are the counterparts of the two oxygen atoms in the ether. The gas-phase UPS spectrum of the ether exhibits [21] a lone pair splitting of 0.28 eV, and therefore the very broad SDC band of tetraglyme is assigned to five closely spaced overlapping bands.

CONCLUSIONS

(i) Threshold energies obtained from EDC's and quantum yield spectra agree except for a small shift (0.15 eV) arising from the spectrometer's rather low resolution and a small difference (0.15 eV or less) introduced by the approximate extrapolation methods thus applied. (ii) Threshold energies from EDC's and from SDC's agree to within 0.1 eV after correction for the half-width of the high-energy branch of the SDC. (iii) Good correlation exists between the second derivative curves of liquids and the corresponding gas-phase UPS spectra.

ACKNOWLEDGEMENTS

This work was supported by the Office of Naval Research and the National Science Foundation.

REFERENCES

- 1 P. Delahay, in C. R. Brundle and A. D. Baker (Ed.), Electron

 Spectroscopy: Theory, Techniques and Applications, Vol. 5, Academic

 Press, London, 1984, pp. 123-196.
- 2 L. Nemec, L. Chia and P. Delahay, J. Phys. Chem., 79 (1975) 2935.
- 3 H. Aulich, L. Nemec, L. Chia and P. Delahay, J. Electron Spectrosc., 8 (1976) 271.
- 4 K. P. Cheung, Energy Distribution of Photoelectrons Emitted by Liquids in the Vacuum Ultraviolet, Ph.D. dissertation, New York University, 1983.
- 5 M. Cardona and L. Ley, in M. Cardona and L. Ley (Ed.), Photoemission in Solids I, Springer, Berlin, 1978, pp. 22-27, 55.
- 6 I. Watanabe, J. B. Flanagan and P. Delahay, J. Chem. Phys., 73 (1980) 2057.
- 7 P. Delahay and A. Dziedzic, J. Chem. Phys., 80 (1984) 5381.
- 8 K. Seki, H. Inokuchi and Y. Harada, Chem. Phys. Lett., 20 (1973) 197.
- 9 A. M. Brodsky and A. V. Tsarevsky, J. Chem. Soc. Faraday Trans. 2, 72 (1976) 1781.
- 10 A. M. Brodsky, J. Phys. Chem., 84 (1980) 1856.
- 11 L. Nemec, H. J. Gaehrs, L. Chia and P. Delahay, J. Chem. Phys., 66 (1977) 4450.
- 12 R. E. Ballard, S. L. Barker, J. J. Gunnell, W. P. Hacar, S. J. Pearce and R. H. West, J. Electron Spectrosc., 14 (1978) 331.
- 13 L. Nemec, L. Chia, H. J. Gaehrs and P. Delahay, J. Electron Spectrosc., 18 (1980) 169.
- 14 R. E. Ballard, J. Jones, E. Sutherland and B. L. Chun, Chem. Phys. Lett., 97 (1983) 413.
- 15 P. Delahay and A. Dziedzic, J. Chem. Phys., 81 (1984) 3678.

- 16 L. Nemec, L. Chia and P. Delahay, J. Electron Spectrosc., 9 (1976) 241.
- 17 A. Savitzky and M. J. E. Golay, Anal. Chem., 36 (1964) 1627.
- 18 J. Steinier, Y. Termonia and J. Deltour, Anal. Chem., 44 (1972) 1906.
- 19 A. D. Baker, D. Betteridge, N. R. Kemp and R. E. Kirby, Anal. Chem., 43 (1971) 375.
- 20 J. B. Peel and G. D. Willett, Austr. J. Chem., 28 (1975) 2357.
- 21 K. Kimura, S. Katsumata, Y. Achiba, T. Yamazaki and S. Iwata, Handbook of HeI Photoelectron Spectra of Fundamental Organic Molecules, Halsted Press, New York, 1981, pp. 130, 131.
- 22 D. R. Stull, Ind. Eng. Chem., 39 (1947) 517.
- 23 T. E. Jordan, Vapor Pressures of Organic Compounds, Interscience, New York, 1954.
- 24 T. Boublík, V. Fried and E. Hála, The Vapor Pressures of Pure Substances, Elsevier, Amsterdam, 1973.

TABLE 1 THRESHOLD ENERGIES FROM EDC'S, $\gamma^{1/2}$ VS. E PLOTS AND SDC's

| s ymbol | liquid | temp ^a | photon | Et | Et | ESDC | E _t b |
|---------|-------------------------|-------------------|--------|------|------------|------|------------------|
| in | | (EDC) | energy | from | from yield | | from |
| Fig. 2 | | | | EDC | spectrum | | SDC |
| | | (°C) | (eV) | (eV) | (eV) | (eV) | (eV) |
| 1 | 6-chloro-1-hexanol | -14 | 10.6 | 9.14 | 8.86 | 9.30 | 9.15 |
| 2 | 2-ethyl-1-hexanol | -17 | 10.2 | 8.76 | 8.45 | 9.05 | 8.85 |
| 3 | ethylene cyanohydrin | -14 | 10.4 | 9.31 | 9.04 | 9.85 | 9.41 |
| 4 | ethylene glycol | -11 | 10.2 | 8.36 | 8.04 | 8.76 | 8.43 |
| 5 | 1,5-pentanediol | - 9 | 10.6 | 8.67 | 8.65 | 9.05 | 8.63 |
| 6 | tetraglyme ^C | -14 | 10.0 | 9.09 | 8.03 | 8.71 | 8.09 |
| 7 | triethylene glycol | -4.5 | 9.6 | 8.05 | 8.2? | 8.63 | 8.06 |
| 8 | tetraethylene glycol | -3 | 10.0 | 8.13 | 8.04 | 8.85 | 8.15 |

^aYield spectra obtained at 0°C. Corresponding vapor pressures (in torr) from data in [22-24]: $<10^{-1}$ (1), $<10^{-2}$ (2), ca. 1 (3), $<10^{-2}$ (4), $<10^{-1}$ (5), $<10^{-4}$ (6-8).

^bfrom eq. (1).

 $^{^{\}mathrm{c}}$ tetraethylene glycol dimethyl ether.

Figure Legends

Figure 1. Optical system for the determination of EDC's. A, vacuum UV monochromator; B, lithium fluoride window; C, hexagonal rotating disk target; D, folding and focusing mirrors; E, platinum wire coated with sodium salicylate; F, photomultiplier; G, collector grid; H, grid electrode at -5V with respect to G; J, cryogenic pump.


Figure 2. EDC's of the liquids of Table 1 and extrapolation to the kinetic energy T_{max} . Zero of ordinate scale shown for each EDC.

Figure 3. Quantum yield Y (electrons collected per incident photon) against photon energy E for the liquids of Table 1. Zero of ordinate scale shown for each curve.


Figure 4. Plot of $\Upsilon^{1/2}$ against photon energy E for the data of Figure 3 and the liquids of Table 1. Zero of ordinate scale and extrapolation to the threshold energy E_{t} shown for each liquid.

Figure 5. SDC's of some of the liquids of Table 1. The kinetic energy $T_{\rm max}({\rm SDC})$ displayed for each maximum. Zero of ordinate scale shown for each SDC. Determination of $w_{1/2}({\rm SDC})$ of eq. (1) shown for curve 6.

Figure 6. Correction for the half-width $w_{1/2}(SDC)$ of SDC's. Straight line from a least-square fit.



TO 4-INCH DIFFUSION PUMP






FIG. 3






FIG. 4





C

G.,

1

FIG. 6

TECHNICAL REPORT DISTRIBUTION LIST, GEN

| <u>9</u> | No. Copies | | No. Copies |
|--|---------------|--|---------------|
| Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217 | 2 | Dr. David Young Code 334 NORDA NSTL, Mississippi 39529 | 1 |
| Dr. Bernard Douda Naval Weapons Support Center Code 5042 Crane, Indiana 47522 | 1 | Naval Weapons Center Attn: Dr. A. B. Amster Chemistry Division China Lake, California 93555 | 1 |
| Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360 | 1 | Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380 | 1 |
| Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401 | 1 | U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 2770 | 1 |
| Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314 | 12 | Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 1911 | 2 |
| DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401 | 1 | Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232 | 1 |
| Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375 | 1 | | |

Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003

Or. P. J. Hendra
Department of Chemistry
University of Southampton
Southampton S09 5NH
United Kingdom

Dr. T. Katan
Lockheed Missiles and
Space Co., Inc.
P.O. Box 504
Sunnyvale, California 94088

Dr. D. N. Bennion Department of Chemical Engineering Brigham Young University Provo, Utah 84602

Mr. Joseph McCartney Code 7121 Naval Ocean Systems Center San Diego, California 92152

Dr. J. J. Auborn
Bell Laboratories
Murray Hill, New Jersey 07974

0

Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135

Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063

Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125 Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. C. E. Mueller
The Electrochemistry Branch
Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, Maryland 20910

Dr. Sam Perone
Chemistry & Materials
Science Department
Lawrence Livermore National Laboratory
Livermore, California 94550

Dr. Royce W. Murray
Department of Chemistry
University of North Carolina
Chapel Hill, North Carolina 27514

Dr. B. Brummer EIC Incorporated 111 Downey Street Norwood, Massachusetts 02062

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Electrochimica Corporation Attn: Technical Library 2485 Charleston Road Mountain View, California 94040

Library Duracell, Inc. Burlington, Massachusetts 01803

Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706

Dr. Manfred Breiter Institut fur Technische Elektrochemie Technischen Universitat Wien 9 Getreidemarkt, 1160Wien AUSTRIA

Dr. M. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons Department of Chemistry University of Utah Salt Lake City, Utah 84112

Donald E. Mains Naval Weapons Support Center Electrochemical Power Sources Division Crane, Indiana 47522

S. Ruby
DOE (STOR)
M.S. 68025 Forrestal Bldg.
Washington, D.C. 20595

Dr. A. J. Bard
Department of Chemistry
University of Texas
Austin, Texas 78712

Dr. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910

Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840

Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Dr. Aaron Fletcher Naval Weapons Center Code 3852 China Lake, California 93555 Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Michael J. Weaver
Department of Chemistry
Purdue University
West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Laboratories, Inc. 111 Downey Street Norwood, Massachusetts 02062

Dr. Aaron Wold Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5NH ENGLAND

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Denton Elliott Air Force Office of Scientific Research Bolling AFB Washington, D.C. 20332

Dr. R. Nowak Naval Research Laboratory Code 6170 Washington, D.C. 20375

Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201

Dr. Boris Cahan Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. David Aikens Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. A. B. P. Lever Chemistry Department York University Downsview, Ontario M3J1P3

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 6343, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

M. L. Robertson
Manager, Electrochemical
and Power Sources Division
Naval Weapons Support Center
Crane, Indiana 47522

Dr. T. Marks
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum Department of Physics University of Puerto Rico Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation K33/281 5600 Cottle Road San Jose, California 95193

Dr. Hector D. Abruna Department of Chemistry Cornell University Ithaca, New York 14853 Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201

Dr. Alan Bewick Department of Chemistry The University of Southampton Southampton, SO9 5NH ENGLAND

Dr. E. Anderson NAVSEA-56Z33 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362

Dr. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720

Dr. D. Cipris
Allied Corporation
P.O. Box 3000R
Morristown, New Jersey 07960

Dr. M. Philpott IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Donald Sandstrom Boeing Aerospace Co. P.O. Box 3999 Seattle, Washington 98124

Dr. Carl Kannewurf
Department of Electrical Engineering
and Computer Science
Northwestern University
Evanston, Illinois 60201

Dr. Richard Pollard
Department of Chemical Engineering
University of Houston
4800 Calhoun Blvd.
Houston, Texas 77004

Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103

Dr. Johann A. Joebstl
USA Mobility Equipment R&D Command
DRDME-EC
Fort Belvoir, Virginia 22060

Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 68025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy
Department of Physics
University of Utah
Salt Lake City, Utah 84112

Dr. Charles Martin
Department of Chemistry
Texas A&M University
College Station, Texas 77843

Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217

Dr. Theodore Beck Electrochemical Technology Corp. 3935 Leary Way N.W. Seattle, Washington 98107

Dr. Farrell Lytle
Boeing Engineering and
Construction Engineers
P.O. Box 3707
Seattle, Washington 98124

Dr. Robert Gotscholl U.S. Department of Energy MS G-226 Washington, D.C. 20545 Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. John Fontanella Department of Physics U.S. Naval Academy Annapolis, Maryland 21402

Dr. Martha Greenblatt
Department of Chemistry
Rutgers University
New Brunswick, New Jersey 08903

Dr. John Wasson Syntheco, Inc. Rte 6 - Industrial Pike Road Gastonia, North Carolina 28052

Dr. Walter Roth Department of Physics State University of New York Albany, New York 12222

Dr. Anthony Sammells Eltron Research Inc. 4260 Westbrook Drive, Suite 111 Aurora, Illinois 60505

Dr. W. M. Risen Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymer Science and Standards
Division
National Bureau of Standards
Washington, D.C. 20234

Ms. Wendy Parkhurst Naval Surface Weapons Center R-33 Silver Spring, Maryland 20910

END

FILMED

5-85

DTIC

